

## CHT-BeauSil QUAT 255 L Modified siloxane as an ingredient for Personal Care.

### Description

Cationic modified silicone polymer for the use as an ingredient in Personal Care. The cationic polymer has a high affinity to the hair and can work as well as a booster for other ingredients like PQ-10, Amodimethicone and other polymers.

### Key Features

- Improves combing behaviour
- Smoothness and gloss
- Repairing properties
- Anti-static effect


### Key Applications

- Shampoo
- Leave-On Products
- Shower Gels
- Treatments

### Application

CHT-BeauSil™ QUAT 255 is an ideal ingredient for many types of hair care products like shampoos, conditioners, leave-on treatments or 2-in-1 shower gels. Beside providing the conditioning effect, CHT-BeauSil™ QUAT 255 is also ideal as booster for other cationic ingredients like amodimethicones, PQ-10, PQ-7 or the sugar modified silicones such as CHT-BeauSil™ AMO 918 EM.

### Structure of a Silicone Quat



### Health & Safety

Safety Data Sheets available on request

### Packaging

Drum and bulk containers. Please contact our sales department for more information.

Revision Date 21 Jul 2022  
Revision No 2  
Download Date 18 May 2024

### Property

#### Product

Appearance  
INCI Name  
Ionicity  
MIT Free  
Non-Volatile Content (%)  
Ultralow cyclic content

### Test Method

### Value

Colourless to yellow liquid  
Quaternium-80  
Cationic  
Yes  
100  
No

#### Addition Rates

Dosage - 1 0.5 – 1.5% in shampoos  
Dosage - 2 0.5 – 2.0% in rinse-off products  
Dosage - 3 0.1 – 0.5% in leave-on products

#### Solubility

Solubility - Almond oil Miscible  
Solubility - Cetyl Dimethicone Miscible  
Solubility - Dimethicone 350cst Miscible  
Solubility - Ethanol Soluble  
Solubility - Ethylhexylcarbonate Soluble  
Solubility - Glycerine Soluble  
Solubility - IPM Soluble  
Solubility - Isododecane Insoluble  
Solubility - Paraffin Oil Insoluble  
Solubility - Polysorbate-20 Miscible  
Solubility - Propylenglycol Soluble  
Solubility - Water Insoluble

#### Storage

Max Storage Temperature 40 °C / 104 °F  
Min Storage Temperature 4 °C / 39 °F  
Shelf Life 24 mths

The content set out in the technical data sheet does not contain information upon which you should rely. It is provided for general information purposes only and does not constitute a product specification. You must obtain professional or specialist advice before taking any action based on the information provided in the technical data sheet. CHT make reasonable efforts to ensure that information set out in the technical data sheet is complete, accurate, and up-to-date. CHT do not, however, make any representations, warranties or guarantees (whether express or implied) that information set out in the technical data sheet is complete, accurate, or up-to-date or that the product will be suitable for your requirements. You should carry out your own testing to determine the applicability of such information and whether the product will be suitable. CHT reserve the right to modify the technical data sheet at any time. The CHT technical service department is available to offer further information and advice and should it be needed to look at modifying current products or custom formulate a new one to meet your specific requirements. Please contact the technical service department.

CHT Germany GmbH: Postfach 12 80, 72002 Tübingen, Bismarckstraße 102, 72072 Tübingen, Germany  
Telephone: 07071/154-0, Fax: 07071/154-290, Email: info@cht.com, Homepage: www.cht.com / www.cht-silicones.com