TECHNICAL DATA SHEET



EM 1642 High-end nonionic emulsion of silicone crosspolymer

Dosage - 1

Max Storage Temperature

Min Storage Temperature

Storage

Packaging

Shelf Life

Test

0.5 - 25

40 °C / 104 °F

32 lb. pails or 325 lb.

4 °C / 39 °F

drums

12 mths

Property		Value
	Method	
Product		
Appearance		Milk White
Ionicity		Non-ionic
MIT Free		Yes
Solids Content (%)		8 %
Ultralow cyclic content		No
Viscosity (cst)		100000
	Appearance Ionicity MIT Free Solids Content (%) Ultralow cyclic content	Product Appearance Ionicity MIT Free Solids Content (%) Ultralow cyclic content

Tires **Addition Rates Application**

ICM EM 1642 is a emulsion of a crosspolymer gel that is designed for use on leather and other interior automotive surfaces to reduce glare and improve touch properties. ICM EM 1642 can also be used as a high end, long lasting slip aid for sliding windows and doors as well as an anti-squeak additive for automotive interiors.

Use and Cure Information

This product is compatiable with aqueous systems and can be added directly to the formulation with minor agitation.

Health & Safety

Read product and safety data sheets before handling this product for physical and health hazard information. The safety data sheet is available from your CHT representative.

Limitations

Description

Synthetic surfaces

This product is not intended for pharmaceutical use.

Revision Date 21 Sep 2021

Revision No

Download Date 18 May 2024